

Small Cnc Lathe Machine Ck0640 Flat Bed Lathes Gang Type Tool Holder Hydraulic

Basic Information

Place of Origin: China
Brand Name: Luyoung
Certification: CE
Model Number: CK0640
Minimum Order Quantity: 1

Price: USD4800-USD6000
 Packaging Details: Fumigation-free plywood

• Delivery Time: 45 working days

Payment Terms: L/C, T/TSupply Ability: 100sets



Product Specification

Max.swing Over Bed: Φ300
 Max.swing Over Cross Φ130
 Slide: Φ300

Max.work Piece Length: 240
Spindle Speed: 50-2500
Spindle Bore: 42mm
X-axis Fast Feeding Speed: 6m/min
Z--axis Fast Feeding 8m/min

Speed:

• X-axis Travel Stroke(mm): 200mm

• Type: Hydraulic Chuck

• Highlight: small cnc lathe machine, cnc lathe small,

ck0640 flat bed lathe



More Images






Product Description

Small model ck0640 cnc lathe machine flat bed lathes gang type tool holder hydraulic chuck









Parameter	Unit	CK0640 CNC LATHE
Max.swing over bed	mm	Ф300
Max.swing over cross slide	mm	Ф130
	Max.swing over bed Max.swing over cross	Max.swing over bed mm Max.swing over cross mm

	Max.work piece length	mm	240		
Spindle	spindle speed	rpm	50-2500		
	Spindle taper	mm	42		
Fast feeding speed	X-axis Fast feeding speed	m/min	6		
	Zaxis Fast feeding speed	m/min	8		
Axis stroke	X-axis travel stroke(mm)	mm	200		
	Zaxis travel stroke(mm)	mm	/		
Power	Main motor power	KW	3		
Clamping	Туре	/	Pneumatic collect		
Thread machining	Metric system(mm)	mm	0.25~12		
scope	British system		28~3 1/2		
Tail stock	Tail stock sleeve dia.	mm	/		
	Tail stock sleeve travel	mm	/		
	Tail stock sleeve taper		/		
Dimension	length× width × high	mm	1550×920×1450		
Weight	Net weight	KG	850		
Standard configuration		Option configuration			
GSK928TD-L		Siemens, Fanuc cnc controller			
Pneumatic spring collect (2pcs free)		Pneumatic chuck,Hydraulic chuck			
Gang type tool carrier		4 station electrical tool holder			
Auto lubrication system		Auto feeder system			
Lighting system		Tail stock			
cooling system					
380V 3 phase if your local have special request pls let us know					

The CK0640 lathe is a common CNC lathe, characterized by:

High Precision: Employing precision ball screws and linear guides to ensure high accuracy and stability.

High Automation: Equipped with advanced CNC systems, it can automatically execute complex machining programs, enhancing productivity.

Large Torque: It typically features a high-torque motor, capable of handling heavy cutting and high-speed machining tasks.

Versatility: It can perform various cutting operations, including cylindrical surfaces, end faces, threads, and tapers.

User-friendly Design: The ergonomic control interface facilitates programming and operation, with robust safety protection features.

Structural Rigidity: The cast-iron bed provides excellent rigidity and vibration resistance, maintaining accuracy during heavyduty machining.

Cooling System: It includes a cooling system to minimize tool wear, prolong tool life, and improve machining surface quality.

Extensibility: It can be optionally equipped with various attachments, like power heads or tool holders, to cater to diverse machining requirements.



shandong lu young machinery co.,ltd



86 18660852746



sales@luyoungmachinery.com



E luyoungcncmachines.com

Room 1061, Building A, Guoshan Center, Taigian Street, Taishan District, Taian City, Shandong Province