shandong lu young machinery co.,ltd

Horizontal Surface Grinder M7140-1600 Precision Rectangular Cnc Surface Grinding Machine

Basic Information

Place of Origin: CHINABrand Name: LuyoungCertification: CE

• Model Number: M7140*1600

Minimum Order Quantity: 1/set Price: \$17000

Packaging Details: non-fumigation wooden box

• Delivery Time: 30days

Payment Terms:
 T/T, D/P, D/A, Western Union, MoneyGram

Supply Ability: 10/set



Product Specification

Automatic Grade: AutomaticCnc Or Not: Normal

Marketing Type: New Product 2024

Showroom Location: None
Cylindrical Grinder Type: Flat Bed
Power Source: Electric
Color: Blue

Production Capacity: High,adjustable
 Machinery Test Report: Provided
 Warranty Of Core 1 Year

• Specification: 2.8-6.5 T

Highlight: Horizontal Surface Grinder M7140-1600,

M7140-1600 surface grinding machine, cnc surface grinding machine



More Images

Components:





Horizontal Surface Grinder M7140-1600 Precision Rectangular Surface Grinding Machine

Specification

Worktable	Size(LengthxWidth)		mm	1600x400
	Longitudinal motion stroke		mm	1700
	T-solt quantityx width(mm)		mm	3x18
	Longitudinal velocity(stepless)		m/min	3-25
	Distance from table surface to spindle center		mm	570
Grinding head	The stroke of grinding head	horizontal(manual and hydraulic)	mm	440
		vertical(manual)	mm	400
	Size(ODxWxID)		mm	350x400x127
	speed of grinding wheel spindle		rpm	1440
	Vertical feed hand wheel per movement		mm	0.01
	Vertical feed wheel movement per lap		mm	1
Total motor power		kw	12	
Grinding head motor	power		kw	7.5
	Speed		r/min	1440
Fast lifting moter	power		kw	0.37
	Speed		r/min	1440

Oil pump motor power	Power	kw	4
	Speed	r/min	960
Cooling pump motor	Power	kw	0.125
	Speed	r/min	2800
Oil pump	oil flow	L/min	100
	working pressure	Мра	1.5
Accuracy	The machied surface of the base of parallelism	mm	40:00.0
	Surface roughness	u.m	Ra0.63
Weight	Net weight/gross weight	kg	5300/6000
Machine size(LxWxH)		mm	4400x1750x2100

Product Description

The main performance characteristics:

The Horizontal Surface Grinder M7140-1600 Precision Rectangular Surface Grinding Machine screw rod of the machine tool is made of special alloy steel through strict processing and heat treatment technology. Grinding head vertical rapid lifting, improve production efficiency.

The grinding head lateral movement driven by hydraulic motor, which can also be manually.

The lifting mechanism and the triangle bracket adopt eccentric design, which is easy to adjust, and greatly prolong the service life of the machine tool.

Application:

Applicable to all kinds of processing machinery, auto parts, fixture, magnetic steel, mould parts processing industry. The machine tool can be made of grinding steel, iron, ceramics and non-ferrous metal parts.

