


Manual Lathe Machine CD6241x750mm Distance Light Duty

Basic Information

- Place of Origin: China
- Brand Name: Luyoung
- Certification: CE
- Model Number: CA6241
- Minimum Order Quantity: 1/SET
- Price: USD6000-10000
- Packaging Details: non-fumigation wooden box
- Delivery Time: 45 working days
- Payment Terms: T/T, L/C
- Supply Ability: 30/SET



Product Specification

- Spindle: Flat
- Spindle Bore: 52/80mm
- Chuck: 3-jaw Manual Chuck
- Tailstock: Manual
- Distance Between Two Centers: 750mm
- Highlight: manual lathe machine with warranty, light duty lathe machine 750mm, flat bed lathe CD6241x750mm

Product Description

Model		Unit	C6136A	CA6140A	CA6240	CA6150	CA6250
床身上最大回 直径Max.Swing over bed		mm	360	400	410	500	500
板上最大回 直径 Max.Swing over carriage		mm	190	210	225	300	300
鞍上回 直径*有效 度Max.Swing in gap*Effective gap length		mm	-	-	630*210	-	720*210
主 中心至床身平面 Distance from spindle center to bed plane guide		mm	205	205	205	250	250
最大工件 度 Max length of bed		mm	750/1000/1500/2000/2200/3000/4000				
床身 度 Width of bed		mm	400				
刀杆尺寸 Section of turning tool		mm	25×25				
主 Spindle	主 速Spindle speeds	rpm	11-1600./12-1680				
	主 通孔 spindle bore	mm	52				
	主 度Spindle taper		NO.6(MT6)(φ90 1:20) [φ113 1:20]				
Feed	公制螺 范 ()Range of metric threads(kinds)	mm	(1-192)44(44 kinds)				
	英制螺 范 ()Range of inch threads(kinds)		(2-24tpi)21(21 kinds)				
	模数螺 范 (Range of module threads(kinds)		0.25-48(39)(Module 39kinds)				
	螺距螺 范 Range of pitch threads(kinds)		1-96DP(37)(37kinds)				
尾座Taistock	尾座主 最大行程Max.tail stock spindle travel	mm	150				
	尾座主 直径 Tail stock spindle diameter	mm	75				
	尾座主 中心孔 度Taper of tail stock spindle center hole		NO.5(MT5)				
主 机Main motor		KW	7.5KW				
包装尺寸 Packing dimensins (L*W*H)	750mm	mm	1900*1400*1630			2400*1400*1630	
	1000mm	mm	2400*1400*1630			2900*1400*1630	
	1500mm	mm	2900*1400*1630			3400*1400*1630	
	2000mm	mm	3400*1400*1630			3900*1400*1630	
重量Weight	750mm	kg	1900			2060	
	1000mm	kg	2070			2140	
	1500	kg	2570			2640	
	2000	kg	2570			2640	

C6241x750 is a robust and versatile classic horizontal lathe, suitable for machining small to medium-sized shaft and disc/sleeve parts. It is commonly found in maintenance workshops, toolrooms, and small-batch production scenarios.



shandong lu young machinery co.,ltd

☎ 86 18660852746

✉ sales@luyoungmachinery.com

🌐 luyoungcncmachines.com

Room 1061, Building A, Guoshan Center, Taiqian Street, Taishan District, Taian City, Shandong Province